

# Ultra®HardTop P2

## Outdoor Secondary Containment Storage Systems Keep The Elements Out While Providing Convenient Access To Drums

Ultra-HardTops are available in 2 and 4-drum models. The all-polyethylene units feature a lockable, weather-proof design, allowing secure outdoor storage of hazardous materials and wastes.

- Hinged covers are easily opened by one person — perfect for satellite waste collection.
- Drums and collection sump remain clean and dry — free of rain water, debris and other contaminants.
- 66-gallon containment capacity meets EPA and Uniform Fire Code Spill Containment Regulations and NPDES, 40 CFR 122.26 (1999).
- Drums are positioned on a deck above the sump area, elevated from any spilled or leaked materials.
- UV inhibitor in polyethylene resin resists degrading effects of sunlight, adding years to outdoor service life.
- Applications include storage of virgin chemicals, drum dispensing, hazardous waste collection and storage of spill response materials.

### ULTRA-HARDTOP P2

Part# 1082: no drain	Part# 1083: with drain
Dimensions: 57" x 30 1/2" x 63 1/2"	Weight: 173 lbs.
Uniformly Distributed Load: 3,000 lbs.	Containment Capacity: 66 gallons



Part# 1082

U.S. Patent No. 5,615,608

# Ultra®HardTop P4

- Rugged steel lift brackets allow covers to be temporarily fixed in their open position — makes decanting of wastes safe and efficient.
- Deck grates are removable for easy cleaning of sump area.
- All 4 drums can be easily accessed with unique "gull wing" cover design.



### ULTRA-HARDTOP P4

Part# 1080: no drain	Part# 1081: with drain
Dimensions: 57" x 54" x 64 1/2"	Weight: 226 lbs.
Uniformly Distributed Load: 6,000 lbs.	Containment Capacity: 66 gallons



Part# 1080

# UltraHardTop P1 Plus®

## The Only 1-Drum, Lockable Outdoor Containment Unit Available



Tall head space (25 3/4") allows use with drum pumps and conical funnels.

- Convenient "roll-top" cover slides up and out of the way — allows quick access to drum pumps and funnels.
- 100% polyethylene construction will not rust or corrode.
- Safe Handling — can be moved by forklift under the "shoulder" area or wheeled with the optional dolly.
- Meets EPA Container Storage Regulation 40 CFR 264.175.
- Helps meet new Stormwater Management Regulations — NPDES, 40 CFR 122.26 (1999).

### ULTRA-HARDTOP P1 PLUS

Ultra-HardTop P1 Plus	Dolly
Part# 9640: no drain Part# 9641: with drain	Part# 0417
Dimensions: 36" x 36" x 66"	Dimensions: 26 1/2" x 26 1/2" x 5"
Weight: Top 36 lbs. Weight: Bottom 26 lbs.	Weight: 31 lbs.
Load Capacity: 800 lbs.	Load Capacity: 800 lbs.
Containment Capacity: 64 gallons	Construction: Steel

# UltraHardTop P4 Plus®

## Safely Store 4 Drums Outdoors

- Unique "dual closure" offers significant ergonomic and convenience benefits — drums are easily accessed from either side.
- Roll-top covers can be easily lifted from waist height to access drum tops — no need to reach near ground level.
- Low profile (8 3/4") containment pallet positions drum-tops at a safe, convenient level to pour wastes into funnels or to use drum pumps.
- Forkliftable, lockable, all-polyethylene construction will not rust or corrode.
- Helps meet new Stormwater Management Regulations — NPDES, 40 CFR 122.26 (1999).
- Meets EPA Container Storage Regulation 40 CFR 264.175.



**NEW!**



### ULTRA-HARDTOP P4 PLUS

Part# 9636: no drain Part# 9637: with drain	Weight: 440 lbs.
	Containment Capacity: 75 gallons
Outside Dimensions: 64 1/2" x 62" x 79"	Uniformly Distributed Load: 9,000 lbs.
Options: Loading Ramp (Part# 0676) — stores inside containment unit when not in use	

U.S. Patent No. 5,615,608

# UltraHardTop P2 Plus®

## Store Hazardous Drums Safely Outdoors With Pumps And Funnels In Place!



- Tall 23 3/4" head space easily accommodates rotary drum pumps and large conical funnels.
- Low profile (8 3/4") containment pallet positions drum-top funnels at a safe, convenient level to pour hazardous wastes.
- Meets EPA Container Storage Regulation 40 CFR 264.175 and Uniform Fire Code Spill Containment Regulations.
- 100% Polyethylene construction will not rust or corrode.
- Helps meet new Stormwater Management Regulations — NPDES, 40 CFR 122.26 (1999).



Part# 9612



*Ultra-HardTop P2 Plus is lockable with a standard padlock, and can be safely lifted by forklift with drums in place.*



*"Swing out" lower doors provide full access to drums for loading and unloading — optional ramp features a non-slip surface. Loading Ramp (Part# 0676) stores neatly inside the containment unit when not in use.*

### ULTRA-HARDTOP P2 PLUS

Ultra-HardTop P2 Plus	Loading Ramp
Part# 9612: no drain Part# 9613: with drain	Part# 0676
Dimensions: 67 1/4" x 41 1/4" x 74"	Dimensions: 46" x 28" x 8 3/4"
Weight: 260 lbs.	Weight: 25 lbs.
Uniformly Distributed Load: 4,500 lbs.	Surface: Non-slip
Containment Capacity: 66 gallons	Construction: Polyethylene

U.S. Patent No. 5,615,608



### What is a Best Management Practice (BMP)?

"Best Management Practices" include operating procedures and products to control site runoff, spills, leaks and drainage from raw material storage. When filing a Stormwater Pollution Prevention Plan (SWPPP), a detailed description of BMPs planned for use at the site is required. Please visit [www.Stormwater-Products.com/regs](http://www.Stormwater-Products.com/regs) for more information.

# Ultra HardTop Plus Models®

**NEW!**



Part# 9652

## ULTRA-HARDTOP PLUS MODELS

Part# 9650: HardTop P8, no drain, 815 lbs.  
 Part# 9651: HardTop P8, with drain, 815 lbs.  
 Dimensions: 126" x 62" x 79"  
 Capacity: (8) 55-gallon drums

Part# 9652: HardTop P12, no drain, 1190 lbs.  
 Part# 9653: HardTop P12, with drain, 1190 lbs.  
 Dimensions: 188" x 62" x 79"  
 Capacity: (12) 55-gallon drums

Part# 9654: HardTop P16, no drain, 1565 lbs.  
 Part# 9655: HardTop P16, with drain, 1565 lbs.  
 Dimensions: 250" x 62" x 79"  
 Capacity: (16) 55-gallon drums

Part# 9656: HardTop P20, no drain, 1940 lbs.  
 Part# 9657: HardTop P20, with drain, 1940 lbs.  
 Dimensions: 312" x 62" x 79"  
 Capacity: (20) 55-gallon drums

Part# 9658: 4-Drum HardTop Extender Kit, no drain, 375 lbs.  
 Part# 9659: 4-Drum HardTop Extender Kit, with drain, 375 lbs.

Weight Capacity: 9,000 lbs. UDL per compartment  
 Containment Capacity: 75 gallons per compartment

Options: Polyethylene Loading Ramp — Part# 0676



U.S. Patent No. 5,615,608

# Safely Store Multiple Drums Outdoors

- Available in 8, 12, 16 and 20-drum models. Extender Kits are available to expand capacity beyond 20-drums.
- All polyethylene construction — offers excellent chemical resistance, will not rust or corrode.
- Separate, lockable compartments feature a unique “2-way” entry system — allows quick access to all four (4) drums.
- Roll-top covers can be easily lifted from waist height to access drum tops.
- Swing-out doors provide safety and convenience for loading or unloading drums.
- Low-profile (8-3/4" height) containment pallet positions drum-tops at a safe, convenient level to pour wastes into funnels or to use drum pumps.
- Rugged, 9,000 lb. uniformly distributed load (UDL) capacity per compartment allows safe storage of IBC tanks as well as drums.
- Units ship partially unassembled for freight savings.
- Meets EPA Container Storage Regulation 40 CFR 264.175 and helps comply with NPDES, 40 CFR 122.26 (1999). Considered a Stormwater Management "Best Management Practice" product (BMP). Also meets SPCC Regulations for secondary containment of hydrocarbons.



Use optional Ramp (Part# 0676) for easier drum handling — stores inside HardTop when not in use.



Part# 9656

Multiple “4-drum compartments” offer flexible usage for a broad range of operations including: storage of virgin chemicals, active hazardous waste collection and storage of spill response supplies. Internal walls and separate sumps allow materials to be segregated.



Part# 9654



Part# 9650

Heavy-duty weight capacity (9,000 lbs.) allows storage of drums or IBC tanks. Easy access compartments are ideal for designated storage of spill response supplies.